

TANAGER SHOP LUMINAIRE

CE    IP20



Product information

With Tanager we are introducing a luminaire, that is flexible enough to cover all supermarket lighting tasks. Due to its smart construction, it allows to create efficient illumination for goods on the shelves and ambient lighting. Moreover, due to possibility of asymmetric light angle, with Tanager you can illuminate both shelves with goods and advertisements above the shelves simultaneously.

Tanager is also great option when you need different zone design. This shop luminaire various light angles, brightness levels, therefore you can create distinct illumination based on zones. Moreover, you can adjust the colour of Tanager to merge with your shop design and promote sales even further.

Application


- Supermarket illumination
- Aisle illumination
- Shelf illumination

Features & benefits

- Adjustable light source angle
- 5 types of optics, 36 positions of light
- Easy mounting: surface, track, suspended
- Operational height from 3 m to 10 m
- DALI driver option
- Optional colours of the fixture
- 5 year warranty

General specifications

Supply voltage	198 – 264 V; 50/60 Hz
Power factor	0.96 – 0.99
Energy driver	standard and DALI option
Efficiency	107 – 130 Lm/W
CCT	4000 K ± 150 K (natural white) 3000 K ± 150 K (warm white)
CRI	>82
Light source	5 types of optics and 36 positions for each optics type
IP class	IP20
Recommended height	from 3 to 10 meters
Operating temp.	-10 °C ~ +35 °C
Storage temp.	-40 °C ~ +70 °C
Lifetime	L80B10 80 000 h (Ta +25°C) L80B10 50 000 h (Ta +50°C)
Mounting options	surface, suspended, track
Certification	CE and RoHS compliant
UGR shades	optional
Warranty	5 years



Ordering information

SKU	TYPE	Lumens output, Lm	Power, W	Dimming controller	Dimensions, mm	Weight neto, kg
BRLH-03840DA-TR1	Diamond cover A side	2360	20 ± 3%		310x138x145	1.25
BRLH-05840DA-CA	Diamond cover A side	4956	42 ± 3%		560x81x145	1.8
BRLH-05840DA-CADA	Diamond cover A side	4956	42 ± 3%	DA	560x81x145	1.8
BRLH-05840DA-SM	Diamond cover A side	4956	42 ± 3%		560x81x145	1.8
BRLH-05840DA-SMDA	Diamond cover A side	4956	42 ± 3%	DA	560x81x145	1.8
BRLH-05840DA-TR1	Diamond cover A side	4956	42 ± 3%		560x138x145	1.8
BRLH-05840DA-TR1DA	Diamond cover A side	4956	42 ± 3%	DA	560x138x145	1.8
BRLH-10840DA-CA	Diamond cover A side	9676	82 ± 3%		1060x81x145	2.9
BRLH-10840DA-CADA	Diamond cover A side	9676	82 ± 3%	DA	1060x81x145	2.9
BRLH-10840DA-SM	Diamond cover A side	9676	82 ± 3%		1060x81x145	2.9
BRLH-10840DA-SMDA	Diamond cover A side	9676	82 ± 3%	DA	1060x81x145	2.9
BRLH-10840DA-TR1	Diamond cover A side	9676	82 ± 3%		1060x138x145	2.9
BRLH-10840DA-TR1DA	Diamond cover A side	9676	82 ± 3%	DA	1060x138x145	2.9
BRLH-15840DA-CA	Diamond cover A side	13806	117 ± 3%		1560x81x145	4
BRLH-15840DA-CADA	Diamond cover A side	13806	117 ± 3%	DA	1560x81x145	4
BRLH-15840DA-SM	Diamond cover A side	13806	117 ± 3%		1560x81x145	4
BRLH-15840DA-SMDA	Diamond cover A side	13806	117 ± 3%	DA	1560x81x145	4
BRLH-15840DA-TR1	Diamond cover A side	13806	117 ± 3%		1560x138x145	4
BRLH-15840DA-TR1DA	Diamond cover A side	13806	117 ± 3%	DA	1560x138x145	4
BRLH-03840DB-TR1	Diamond cover B side	2500	20 ± 3%		310x138x145	1.25

Tanager data sheet

SKU	TYPE	Lumens output, Lm	Power, W	Dimming controller	Dimensions, mm	Weight neto, kg
BRLH-05840DB-CA	Diamond cover B side	5250	42 ± 3%		560x81x145	1.8
BRLH-05840DB-CADA	Diamond cover B side	5250	42 ± 3%	DA	560x81x145	1.8
BRLH-05840DB-SM	Diamond cover B side	5250	42 ± 3%		560x81x145	1.8
BRLH-05840DB-SMDA	Diamond cover B side	5250	42 ± 3%	DA	560x81x145	1.8
BRLH-05840DB-TR1	Diamond cover B side	5250	42 ± 3%		560x138x145	1.8
BRLH-05840DB-TR1DA	Diamond cover B side	5250	42 ± 3%	DA	560x138x145	1.8
BRLH-10840DB-CA	Diamond cover B side	10250	82 ± 3%		1060x81x145	2.9
BRLH-10840DB-CADA	Diamond cover B side	10250	82 ± 3%	DA	1060x81x145	2.9
BRLH-10840DB-SM	Diamond cover B side	10250	82 ± 3%		1060x81x145	2.9
BRLH-10840DB-SMDA	Diamond cover B side	10250	82 ± 3%	DA	1060x81x145	2.9
BRLH-10840DB-TR1	Diamond cover B side	10250	82 ± 3%		1060x138x145	2.9
BRLH-10840DB-TR1DA	Diamond cover B side	10250	82 ± 3%	DA	1060x138x145	2.9
BRLH-15840DB-CA	Diamond cover B side	14625	117 ± 3%		1560x81x145	4
BRLH-15840DB-CADA	Diamond cover B side	14625	117 ± 3%	DA	1560x81x145	4
BRLH-15840DB-SM	Diamond cover B side	14625	117 ± 3%		1560x81x145	4
BRLH-15840DB-SMDA	Diamond cover B side	14625	117 ± 3%	DA	1560x81x145	4
BRLH-15840DB-TR1	Diamond cover B side	14625	117 ± 3%		1560x138x145	4
BRLH-15840DB-TR1DA	Diamond cover B side	14625	117 ± 3%	DA	1560x138x145	4
BRLH-03840MA-TR1	Milky cover A side	2600	20 ± 3%		310x138x145	1.25
BRLH-05840MA-CA	Milky cover A side	5460	42 ± 3%		560x81x145	1.8
BRLH-05840MA-CADA	Milky cover A side	5460	42 ± 3%	DA	560x81x145	1.8
BRLH-05840MA-SM	Milky cover A side	5460	42 ± 3%		560x81x145	1.8
BRLH-05840MA-SMDA	Milky cover A side	5460	42 ± 3%	DA	560x81x145	1.8
BRLH-05840MA-TR1	Milky cover A side	5460	42 ± 3%		560x138x145	1.8
BRLH-05840MA-TR1DA	Milky cover A side	5460	42 ± 3%	DA	560x138x145	1.8
BRLH-10840MA-CA	Milky cover A side	10660	82 ± 3%		1060x81x145	2.9
BRLH-10840MA-CADA	Milky cover A side	10660	82 ± 3%	DA	1060x81x145	2.9
BRLH-10840MA-SM	Milky cover A side	10660	82 ± 3%		1060x81x145	2.9
BRLH-10840MA-SMDA	Milky cover A side	10660	82 ± 3%	DA	1060x81x145	2.9
BRLH-10840MA-TR1	Milky cover A side	10660	82 ± 3%		1060x138x145	2.9
BRLH-10840MA-TR1DA	Milky cover A side	10660	82 ± 3%	DA	1060x138x145	2.9
BRLH-15840MA-CA	Milky cover A side	15210	117 ± 3%		1560x81x145	4
BRLH-15840MA-CADA	Milky cover A side	15210	117 ± 3%	DA	1560x81x145	4
BRLH-15840MA-SM	Milky cover A side	15210	117 ± 3%		1560x81x145	4
BRLH-15840MA-SMDA	Milky cover A side	15210	117 ± 3%	DA	1560x81x145	4
BRLH-15840MA-TR1	Milky cover A side	15210	117 ± 3%		1560x138x145	4
BRLH-15840MA-TR1DA	Milky cover A side	15210	117 ± 3%	DA	1560x138x145	4
BRLH-03840LA-TR1	Linear cover A side	2400	20 ± 3%		310x138x145	1.25
BRLH-05840LA-CA	Linear cover A side	5040	42 ± 3%		560x81x145	1.8
BRLH-05840LA-CADA	Linear cover A side	5040	42 ± 3%	DA	560x81x145	1.8
BRLH-05840LA-SM	Linear cover A side	5040	42 ± 3%		560x81x145	1.8
BRLH-05840LA-SMDA	Linear cover A side	5040	42 ± 3%	DA	560x81x145	1.8
BRLH-05840LA-TR1	Linear cover A side	5040	42 ± 3%		560x138x145	1.8
BRLH-05840LA-TR1DA	Linear cover A side	5040	42 ± 3%	DA	560x138x145	1.8

Tanager data sheet

SKU	TYPE	Lumens output, Lm	Power, W	Dimming controller	Dimensions, mm	Weight neto, kg
BRLH-10840LA-CA	Linear cover A side	9840	82 ± 3%		1060x81x145	2.9
BRLH-10840LA-CADA	Linear cover A side	9840	82 ± 3%	DA	1060x81x145	2.9
BRLH-10840LA-SM	Linear cover A side	9840	82 ± 3%		1060x81x145	2.9
BRLH-10840LA-SMDA	Linear cover A side	9840	82 ± 3%	DA	1060x81x145	2.9
BRLH-10840LA-TR1	Linear cover A side	9840	82 ± 3%		1060x138x145	2.9
BRLH-10840LA-TR1DA	Linear cover A side	9840	82 ± 3%	DA	1060x138x145	2.9
BRLH-15840LA-CA	Linear cover A side	14040	117 ± 3%		1560x81x145	4
BRLH-15840LA-CADA	Linear cover A side	14040	117 ± 3%	DA	1560x81x145	4
BRLH-15840LA-SM	Linear cover A side	14040	117 ± 3%		1560x81x145	4
BRLH-15840LA-SMDA	Linear cover A side	14040	117 ± 3%	DA	1560x81x145	4
BRLH-15840LA-TR1	Linear cover A side	14040	117 ± 3%		1560x138x145	4
BRLH-15840LA-TR1DA	Linear cover A side	14040	117 ± 3%	DA	1560x138x145	4
BRLH-03840UA-TR1	UGR cover A side	2400	20 ± 3%		310x138x145	1.25
BRLH-05840UA-CA	UGR cover A side	5040	42 ± 3%		560x81x145	1.8
BRLH-05840UA-CADA	UGR cover A side	5040	42 ± 3%	DA	560x81x145	1.8
BRLH-05840UA-SM	UGR cover A side	5040	42 ± 3%		560x81x145	1.8
BRLH-05840UA-SMDA	UGR cover A side	5040	42 ± 3%	DA	560x81x145	1.8
BRLH-05840UA-TR1	UGR cover A side	5040	42 ± 3%		560x138x145	1.8
BRLH-05840UA-TR1DA	UGR cover A side	5040	42 ± 3%	DA	560x138x145	1.8
BRLH-10840UA-CA	UGR cover A side	9840	82 ± 3%		1060x81x145	2.9
BRLH-10840UA-CADA	UGR cover A side	9840	82 ± 3%	DA	1060x81x145	2.9
BRLH-10840UA-SM	UGR cover A side	9840	82 ± 3%		1060x81x145	2.9
BRLH-10840UA-SMDA	UGR cover A side	9840	82 ± 3%	DA	1060x81x145	2.9
BRLH-10840UA-TR1	UGR cover A side	9840	82 ± 3%		1060x138x145	2.9
BRLH-10840UA-TR1DA	UGR cover A side	9840	82 ± 3%	DA	1060x138x145	2.9
BRLH-15840UA-CA	UGR cover A side	14040	117 ± 3%		1560x81x145	4
BRLH-15840UA-CADA	UGR cover A side	14040	117 ± 3%	DA	1560x81x145	4
BRLH-15840UA-SM	UGR cover A side	14040	117 ± 3%		1560x81x145	4
BRLH-15840UA-SMDA	UGR cover A side	14040	117 ± 3%	DA	1560x81x145	4
BRLH-15840UA-TR1	UGR cover A side	14040	117 ± 3%		1560x138x145	4
BRLH-15840UA-TR1DA	UGR cover A side	14040	117 ± 3%	DA	1560x138x145	4
BRLH-03830DA-TR1	Diamond cover A side	2256	20 ± 3%		310x138x145	1.25
BRLH-05830DA-CA	Diamond cover A side	4527	42 ± 3%		560x81x145	1.8
BRLH-05830DA-CADA	Diamond cover A side	4527	42 ± 3%	DA	560x81x145	1.8
BRLH-05830DA-SM	Diamond cover A side	4527	42 ± 3%		560x81x145	1.8
BRLH-05830DA-SMDA	Diamond cover A side	4527	42 ± 3%	DA	560x81x145	1.8
BRLH-05830DA-TR1	Diamond cover A side	4527	42 ± 3%		560x138x145	1.8
BRLH-05830DA-TR1DA	Diamond cover A side	4527	42 ± 3%	DA	560x138x145	1.8
BRLH-10830DA-CA	Diamond cover A side	9229	82 ± 3%		1060x81x145	2.9
BRLH-10830DA-CADA	Diamond cover A side	9229	82 ± 3%	DA	1060x81x145	2.9
BRLH-10830DA-SM	Diamond cover A side	9229	82 ± 3%		1060x81x145	2.9
BRLH-10830DA-SMDA	Diamond cover A side	9229	82 ± 3%	DA	1060x81x145	2.9
BRLH-10830DA-TR1	Diamond cover A side	9229	82 ± 3%		1060x138x145	2.9
BRLH-10830DA-TR1DA	Diamond cover A side	9229	82 ± 3%	DA	1060x138x145	2.9

Tanager data sheet

SKU	TYPE	Lumens output, Lm	Power, W	Dimming controller	Dimensions, mm	Weight neto, kg
BRLH-15830DA-CA	Diamond cover A side	13680	117 ± 3%		1560x81x145	4
BRLH-15830DA-CADA	Diamond cover A side	13680	117 ± 3%	DA	1560x81x145	4
BRLH-15830DA-SM	Diamond cover A side	13680	117 ± 3%		1560x81x145	4
BRLH-15830DA-SMDA	Diamond cover A side	13680	117 ± 3%	DA	1560x81x145	4
BRLH-15830DA-TR1	Diamond cover A side	13680	117 ± 3%		1560x138x145	4
BRLH-15830DA-TR1DA	Diamond cover A side	13680	117 ± 3%	DA	1560x138x145	4
BRLH-03830DB-TR1	Diamond cover B side	2291	20 ± 3%		310x138x145	1.25
BRLH-05830DB-CA	Diamond cover B side	4770	42 ± 3%		560x81x145	1.8
BRLH-05830DB-CADA	Diamond cover B side	4770	42 ± 3%	DA	560x81x145	1.8
BRLH-05830DB-SM	Diamond cover B side	4770	42 ± 3%		560x81x145	1.8
BRLH-05830DB-SMDA	Diamond cover B side	4770	42 ± 3%	DA	560x81x145	1.8
BRLH-05830DB-TR1	Diamond cover B side	4770	42 ± 3%		560x138x145	1.8
BRLH-05830DB-TR1DA	Diamond cover B side	4770	42 ± 3%	DA	560x138x145	1.8
BRLH-10830DB-CA	Diamond cover B side	8792	82 ± 3%		1060x81x145	2.9
BRLH-10830DB-CADA	Diamond cover B side	8792	82 ± 3%	DA	1060x81x145	2.9
BRLH-10830DB-SM	Diamond cover B side	8792	82 ± 3%		1060x81x145	2.9
BRLH-10830DB-SMDA	Diamond cover B side	8792	82 ± 3%	DA	1060x81x145	2.9
BRLH-10830DB-TR1	Diamond cover B side	8792	82 ± 3%		1060x138x145	2.9
BRLH-10830DB-TR1DA	Diamond cover B side	8792	82 ± 3%	DA	1060x138x145	2.9
BRLH-15830DB-CA	Diamond cover B side	13938	117 ± 3%		1560x81x145	4
BRLH-15830DB-CADA	Diamond cover B side	13938	117 ± 3%	DA	1560x81x145	4
BRLH-15830DB-SM	Diamond cover B side	13938	117 ± 3%		1560x81x145	4
BRLH-15830DB-SMDA	Diamond cover B side	13938	117 ± 3%	DA	1560x81x145	4
BRLH-15830DB-TR1	Diamond cover B side	13938	117 ± 3%		1560x138x145	4
BRLH-15830DB-TR1DA	Diamond cover B side	13938	117 ± 3%	DA	1560x138x145	4
BRLH-03830MA-TR1	Milky cover A side	2442	20 ± 3%		310x138x145	1.25
BRLH-05830MA-CA	Milky cover A side	4889	42 ± 3%		560x81x145	1.8
BRLH-05830MA-CADA	Milky cover A side	4889	42 ± 3%	DA	560x81x145	1.8
BRLH-05830MA-SM	Milky cover A side	4889	42 ± 3%		560x81x145	1.8
BRLH-05830MA-SMDA	Milky cover A side	4889	42 ± 3%	DA	560x81x145	1.8
BRLH-05830MA-TR1	Milky cover A side	4889	42 ± 3%		560x138x145	1.8
BRLH-05830MA-TR1DA	Milky cover A side	4889	42 ± 3%	DA	560x138x145	1.8
BRLH-10830MA-CA	Milky cover A side	9962	82 ± 3%		1060x81x145	2.9
BRLH-10830MA-CADA	Milky cover A side	9962	82 ± 3%	DA	1060x81x145	2.9
BRLH-10830MA-SM	Milky cover A side	9962	82 ± 3%		1060x81x145	2.9
BRLH-10830MA-SMDA	Milky cover A side	9962	82 ± 3%	DA	1060x81x145	2.9
BRLH-10830MA-TR1	Milky cover A side	9962	82 ± 3%		1060x138x145	2.9
BRLH-10830MA-TR1DA	Milky cover A side	9962	82 ± 3%	DA	1060x138x145	2.9
BRLH-15830MA-CA	Milky cover A side	14646	117 ± 3%		1560x81x145	4
BRLH-15830MA-CADA	Milky cover A side	14646	117 ± 3%	DA	1560x81x145	4
BRLH-15830MA-SM	Milky cover A side	14646	117 ± 3%		1560x81x145	4
BRLH-15830MA-SMDA	Milky cover A side	14646	117 ± 3%	DA	1560x81x145	4
BRLH-15830MA-TR1	Milky cover A side	14646	117 ± 3%		1560x138x145	4
BRLH-15830MA-TR1DA	Milky cover A side	14646	117 ± 3%	DA	1560x138x145	4

Tanager data sheet

SKU	TYPE	Lumens output, Lm	Power, W	Dimming controller	Dimensions, mm	Weight neto, kg
BRLH-03830LA-TR1	Linear cover A side	2351	20 ± 3%		310x138x145	1.25
BRLH-05830LA-CA	Linear cover A side	4765	42 ± 3%		560x81x145	1.8
BRLH-05830LA-CADA	Linear cover A side	4765	42 ± 3%	DA	560x81x145	1.8
BRLH-05830LA-SM	Linear cover A side	4765	42 ± 3%		560x81x145	1.8
BRLH-05830LA-SMDA	Linear cover A side	4765	42 ± 3%	DA	560x81x145	1.8
BRLH-05830LA-TR1	Linear cover A side	4765	42 ± 3%		560x138x145	1.8
BRLH-05830LA-TR1DA	Linear cover A side	4765	42 ± 3%	DA	560x138x145	1.8
BRLH-10830LA-CA	Linear cover A side	9033	82 ± 3%		1060x81x145	2.9
BRLH-10830LA-CADA	Linear cover A side	9033	82 ± 3%	DA	1060x81x145	2.9
BRLH-10830LA-SM	Linear cover A side	9033	82 ± 3%		1060x81x145	2.9
BRLH-10830LA-SMDA	Linear cover A side	9033	82 ± 3%	DA	1060x81x145	2.9
BRLH-10830LA-TR1	Linear cover A side	9033	82 ± 3%		1060x138x145	2.9
BRLH-10830LA-TR1DA	Linear cover A side	9033	82 ± 3%	DA	1060x138x145	2.9
BRLH-15830LA-CA	Linear cover A side	14325	117 ± 3%		1560x81x145	4
BRLH-15830LA-CADA	Linear cover A side	14325	117 ± 3%	DA	1560x81x145	4
BRLH-15830LA-SM	Linear cover A side	14325	117 ± 3%		1560x81x145	4
BRLH-15830LA-SMDA	Linear cover A side	14325	117 ± 3%	DA	1560x81x145	4
BRLH-15830LA-TR1	Linear cover A side	14325	117 ± 3%		1560x138x145	4
BRLH-15830LA-TR1DA	Linear cover A side	14325	117 ± 3%	DA	1560x138x145	4
BRLH-03830UA-TR1	UGR cover A side	2350	20 ± 3%		310x138x145	1.25
BRLH-05830UA-CA	UGR cover A side	4766	42 ± 3%		560x81x145	1.8
BRLH-05830UA-CADA	UGR cover A side	4766	42 ± 3%	DA	560x81x145	1.8
BRLH-05830UA-SM	UGR cover A side	4766	42 ± 3%		560x81x145	1.8
BRLH-05830UA-SMDA	UGR cover A side	4766	42 ± 3%	DA	560x81x145	1.8
BRLH-05830UA-TR1	UGR cover A side	4766	42 ± 3%		560x138x145	1.8
BRLH-05830UA-TR1DA	UGR cover A side	4766	42 ± 3%	DA	560x138x145	1.8
BRLH-10830UA-CA	UGR cover A side	8985	82 ± 3%		1060x81x145	2.9
BRLH-10830UA-CADA	UGR cover A side	8985	82 ± 3%	DA	1060x81x145	2.9
BRLH-10830UA-SM	UGR cover A side	8985	82 ± 3%		1060x81x145	2.9
BRLH-10830UA-SMDA	UGR cover A side	8985	82 ± 3%	DA	1060x81x145	2.9
BRLH-10830UA-TR1	UGR cover A side	8985	82 ± 3%		1060x138x145	2.9
BRLH-10830UA-TR1DA	UGR cover A side	8985	82 ± 3%	DA	1060x138x145	2.9
BRLH-15830UA-CA	UGR cover A side	14135	117 ± 3%		1560x81x145	4
BRLH-15830UA-CADA	UGR cover A side	14135	117 ± 3%	DA	1560x81x145	4
BRLH-15830UA-SM	UGR cover A side	14135	117 ± 3%		1560x81x145	4
BRLH-15830UA-SMDA	UGR cover A side	14135	117 ± 3%	DA	1560x81x145	4
BRLH-15830UA-TR1	UGR cover A side	14135	117 ± 3%		1560x138x145	4
BRLH-15830UA-TR1DA	UGR cover A side	14135	117 ± 3%	DA	1560x138x145	4
BRLH-03840DA-TR2	Diamond cover A side	2360	20 ± 3%		310x138x145	1.25
BRLH-05840DA-TR2	Diamond cover A side	4956	42 ± 3%		560x138x145	1.8
BRLH-05840DA-TR2DA	Diamond cover A side	4956	42 ± 3%	DA	560x138x145	1.8
BRLH-10840DA-TR2	Diamond cover A side	9676	82 ± 3%		1060x138x145	2.9
BRLH-10840DA-TR2DA	Diamond cover A side	9676	82 ± 3%	DA	1060x138x145	2.9
BRLH-15840DA-TR2	Diamond cover A side	13806	117 ± 3%		1560x138x145	4

Tanager data sheet

SKU	TYPE	Lumens output, Lm	Power, W	Dimming controller	Dimensions, mm	Weight neto, kg
BRLH-15840DA-TR2DA	Diamond cover A side	13806	117 ± 3%	DA	1560x138x145	4
BRLH-03840DB-TR2	Diamond cover B side	2500	20 ± 3%		310x138x145	1.25
BRLH-05840DB-TR2	Diamond cover B side	5250	42 ± 3%		560x138x145	1.8
BRLH-05840DB-TR2DA	Diamond cover B side	5250	42 ± 3%	DA	560x138x145	1.8
BRLH-10840DB-TR2	Diamond cover B side	10250	82 ± 3%		1060x138x145	2.9
BRLH-10840DB-TR2DA	Diamond cover B side	10250	82 ± 3%	DA	1060x138x145	2.9
BRLH-15840DB-TR2	Diamond cover B side	14625	117 ± 3%		1560x138x145	4
BRLH-15840DB-TR2DA	Diamond cover B side	14625	117 ± 3%	DA	1560x138x145	4
BRLH-03840MA-TR2	Milky cover A side	2600	20 ± 3%		310x138x145	1.25
BRLH-05840MA-TR2	Milky cover A side	5460	42 ± 3%		560x138x145	1.8
BRLH-05840MA-TR2DA	Milky cover A side	5460	42 ± 3%	DA	560x138x145	1.8
BRLH-10840MA-TR2	Milky cover A side	10660	82 ± 3%		1060x138x145	2.9
BRLH-10840MA-TR2DA	Milky cover A side	10660	82 ± 3%	DA	1060x138x145	2.9
BRLH-15840MA-TR2	Milky cover A side	15210	117 ± 3%		1560x138x145	4
BRLH-15840MA-TR2DA	Milky cover A side	15210	117 ± 3%	DA	1560x138x145	4
BRLH-03840LA-TR2	Linear cover A side	2400	20 ± 3%		310x138x145	1.25
BRLH-05840LA-TR2	Linear cover A side	5040	42 ± 3%		560x138x145	1.8
BRLH-05840LA-TR2DA	Linear cover A side	5040	42 ± 3%	DA	560x138x145	1.8
BRLH-10840LA-TR2	Linear cover A side	9840	82 ± 3%		1060x138x145	2.9
BRLH-10840LA-TR2DA	Linear cover A side	9840	82 ± 3%	DA	1060x138x145	2.9
BRLH-15840LA-TR2	Linear cover A side	14040	117 ± 3%		1560x138x145	4
BRLH-15840LA-TR2DA	Linear cover A side	14040	117 ± 3%	DA	1560x138x145	4
BRLH-03840UA-TR2	UGR cover A side	2400	20 ± 3%		310x138x145	1.25
BRLH-05840UA-TR2	UGR cover A side	5040	42 ± 3%		560x138x145	1.8
BRLH-05840UA-TR2DA	UGR cover A side	5040	42 ± 3%	DA	560x138x145	1.8
BRLH-10840UA-TR2	UGR cover A side	9840	82 ± 3%		1060x138x145	2.9
BRLH-10840UA-TR2DA	UGR cover A side	9840	82 ± 3%	DA	1060x138x145	2.9
BRLH-15840UA-TR2	UGR cover A side	14040	117 ± 3%		1560x138x145	4
BRLH-15840UA-TR2DA	UGR cover A side	14040	117 ± 3%	DA	1560x138x145	4
BRLH-03830DA-TR2	Diamond cover A side	2256	20 ± 3%		310x138x145	1.25
BRLH-05830DA-TR2	Diamond cover A side	4527	42 ± 3%		560x138x145	1.8
BRLH-05830DA-TR2DA	Diamond cover A side	4527	42 ± 3%	DA	560x138x145	1.8
BRLH-10830DA-TR2	Diamond cover A side	9229	82 ± 3%		1060x138x145	2.9
BRLH-10830DA-TR2DA	Diamond cover A side	9229	82 ± 3%	DA	1060x138x145	2.9
BRLH-15830DA-TR2	Diamond cover A side	13680	117 ± 3%		1560x138x145	4
BRLH-15830DA-TR2DA	Diamond cover A side	13680	117 ± 3%	DA	1560x138x145	4
BRLH-03830DB-TR2	Diamond cover B side	2291	20 ± 3%		310x138x145	1.25
BRLH-05830DB-TR2	Diamond cover B side	4770	42 ± 3%		560x138x145	1.8
BRLH-05830DB-TR2DA	Diamond cover B side	4770	42 ± 3%	DA	560x138x145	1.8
BRLH-10830DB-TR2	Diamond cover B side	8792	82 ± 3%		1060x138x145	2.9
BRLH-10830DB-TR2DA	Diamond cover B side	8792	82 ± 3%	DA	1060x138x145	2.9
BRLH-15830DB-TR2	Diamond cover B side	13938	117 ± 3%		1560x138x145	4
BRLH-15830DB-TR2DA	Diamond cover B side	13938	117 ± 3%	DA	1560x138x145	4
BRLH-03830MA-TR2	Milky cover A side	2442	20 ± 3%		310x138x145	1.25

Tanager data sheet

SKU	TYPE	Lumens output, Lm	Power, W	Dimming controller	Dimensions, mm	Weight neto, kg
BRLH-05830MA-TR2	Milky cover A side	4889	42 ± 3%		560x138x145	1.8
BRLH-05830MA-TR2DA	Milky cover A side	4889	42 ± 3%	DA	560x138x145	1.8
BRLH-10830MA-TR2	Milky cover A side	9962	82 ± 3%		1060x138x145	2.9
BRLH-10830MA-TR2DA	Milky cover A side	9962	82 ± 3%	DA	1060x138x145	2.9
BRLH-15830MA-TR2	Milky cover A side	14646	117 ± 3%		1560x138x145	4
BRLH-15830MA-TR2DA	Milky cover A side	14646	117 ± 3%	DA	1560x138x145	4
BRLH-03830LA-TR2	Linear cover A side	2351	20 ± 3%		310x138x145	1.25
BRLH-05830LA-TR2	Linear cover A side	4765	42 ± 3%		560x138x145	1.8
BRLH-05830LA-TR2DA	Linear cover A side	4765	42 ± 3%	DA	560x138x145	1.8
BRLH-10830LA-TR2	Linear cover A side	9033	82 ± 3%		1060x138x145	2.9
BRLH-10830LA-TR2DA	Linear cover A side	9033	82 ± 3%	DA	1060x138x145	2.9
BRLH-15830LA-TR2	Linear cover A side	14325	117 ± 3%		1560x138x145	4
BRLH-15830LA-TR2DA	Linear cover A side	14325	117 ± 3%	DA	1560x138x145	4
BRLH-03830UA-TR2	UGR cover A side	2350	20 ± 3%		310x138x145	1.25
BRLH-05830UA-TR2	UGR cover A side	4766	42 ± 3%		560x138x145	1.8
BRLH-05830UA-TR2DA	UGR cover A side	4766	42 ± 3%	DA	560x138x145	1.8
BRLH-10830UA-TR2	UGR cover A side	8985	82 ± 3%		1060x138x145	2.9
BRLH-10830UA-TR2DA	UGR cover A side	8985	82 ± 3%	DA	1060x138x145	2.9
BRLH-15830UA-TR2	UGR cover A side	14135	117 ± 3%		1560x138x145	4
BRLH-15830UA-TR2DA	UGR cover A side	14135	117 ± 3%	DA	1560x138x145	4